

# SPECIFY WITH CONFIDENCE

All our products are manufactured to meet or exceed CMU manufacturing standards for strength and durability. Our commitment to providing high-quality products and excellent customer service will ensure that your project will be customized to your needs.

Meet with one of Basalite's CMU experts to help with your project, from the initial planning stages through final engineering and approval.



#### REQUEST SAMPLES

Need product samples? Email info@basaliteredmond.com or call 541-548-5910 to get your samples




#### TECHNICAL DOCUMENTS

Looking for data sheets, specifications, Environmental Product Declarations and technical notes? Visit basaliteredmond.com



#### LOCALLY MADE

Every Basalite CMU is proudly manufactured in our Redmond facility, allowing us to deliver precision-made products to you, wherever and whenever you need them.



### **TABLE OF CONTENTS**

#### CMU

ADVANTAGES | 04

#### **SHAPES**

- 4-INCH CMU | 06
- 6-INCH CMU | 06
- 8-INCH CMU | 07
- 10-INCH CMU | 08
- 12-INCH CMU | 08
- 16-INCH CMU | 09

#### **COLORS & TEXTURES**

- GROUND FACE COLORS | 10
  - PRECISION COLORS | 11
  - SPLIT FACE COLORS | 12
    - MORTAR COLORS | 14
      - TEXTURES | 15

### **CONCRETE** MASONRY

### CMU HAS MORE ADVANTAGES THAN YOU CAN IMAGINE.

# MOISTURE PROTECTION & EFFLORESCENCE CONTROL

When it comes to moisture protection, you can specify an Integral Water Repellent (IWR) in both Basalite® block and mortar. During the manufacturing process we use Integral Water Repellent add mixtures that are mixed throughout the concrete. The IWR increases resistance to wind-driven rain, moisture penetration, and reduces efflorescence.

#### **COLORS & TEXTURES**

Turn ordinary into a visual masterpiece by blending Basalite® colors, surface textures, sizes and shapes. We offer a large selection of Standard, Premium and special order colors that are available in Split Face, Ground Face and Precision textures. Speak with your local product expert to get samples.

#### SHAPES & SIZES

Create unique and memorable design details with Basalite®'s variety of concrete masonry sizes and shapes. From a large 24" long block to specialty sills.

#### **RESILIENCY**


Buildings and structures with resilient design and materials can recover quicker following disasters, reduce green house emissions and improve the impacts of a building on the health and performance of occupants. Concrete masonry construction has inherent strength, durability, longevity, fire resistance, seismic and blast resistance all of which contribute to the resiliency of the built environment and can contribute to LEED credits



# SHAPES | 4-INCH CMU


#### FOR MORE INFORMATION

Contact your local dealer, contractor or visit basaliteredmond.com




4X8X16 STANDARD

P | SF | GF




4X8X16

PIGF









4X8X8 HALF

SF



4X4X16 HALF HIGH


PISFIGF



"L" CORNER SOLID


SF

## **SHAPES** I 6-INCH CMU




6X8X16 STANDARD

PISFIGF



6X8X16 BOND BEAM

PIGF




6X8X16 "L" CORNER

P | SF | GF


# **SHAPES** I 6-INCH CMU

#### FOR MORE INFORMATION


Contact your local dealer, contractor or visit basaliteredmond.com



SF




# SHAPES | 8-INCH CMU




8X8X16 STANDARD


PISFIGF



8X4X16 HALF HIGH


PIGF






SINGLE OPEN END

PIGF



8X8X8 HALF

P | SF | GF




8X4X8 HALF HIGH HALF S1F

PIGF


## **SHAPES** | 10-INCH CMU

#### FOR MORE INFORMATION

Contact your local dealer, contractor or visit basaliteredmond.com




10X8X16 STANDARD — P | SF | GF




10X8X16 BOND BEAM

P | SF | GF



10X8X8 HALF


PIGF



10X4X8 HALF HIGH


PIGF

# SHAPES | 12-INCH CMU




12X8X16 STANDARD

P | SF | GF




12X8X16 BOND BEAM

P | SF | GF




12X8X8 HALF

P | SF | GF



12X4X16 HALF HIGH

PIGF




SOLID


PIGF


# SHAPES | 16-INCH CMU

#### FOR MORE INFORMATION

Contact your local dealer, contractor or visit basaliteredmond.com









# **COLORS** I GROUND FACE

#### FOR MORE INFORMATION


Contact your local dealer, contractor or visit basaliteredmond.com



## **COLORS** I PRECISION

#### FOR MORE INFORMATION


Contact your local dealer, contractor or visit basaliteredmond.com



#### FOR MORE INFORMATION

Contact your local dealer, contractor or visit basaliteredmond.com

# **COLORS** | SPLIT FACE









### **COLORS** | MORTAR

#### FOR MORE INFORMATION

Contact your local dealer, contractor or visit basaliteredmond.com

#### STANDARD MORTAR COLORS





#### PREMIUM MORTAR COLORS





#### **ULTRA PREMIUM MORTAR COLORS**

EBONY - TYPE S
GLACIER TYPES
PLUM - TYPE S

#### FOR MORE INFORMATION

# **TEXTURES**

Contact your local dealer, contractor or visit basaliteredmond.com







### **RESILIENCY**

A CMU wall is considered to be a good structure for disaster resistance as it can withstand the effects of earthquakes, hurricanes and tornadoes.





1945 S. 1st Street Redmond, OR 97756 **541-548-5910** 

basaliteredmond.com

ALBERTA • BRITISH COLUMBIA • CALIFORNIA • COLORADO • IDAHO • NEVADA • OREGON • WASHINGTON

©2023 Basalite® Concrete Products, LLC. All trademarks ® are registered trademarks.